



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.


If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor

**T 7 N**

**R 2 W**





Township N°VI North, Range N°II West of 2<sup>nd</sup> Meridian.

Surveyed by Arthur Hearie 1853.

*Description of the Soil on the interior Sectional lines.*

Description of the Soil in the					
Between Sections	Quality &c.	Between Sections		Between Sections	
35.36	Land Hilly - Timber Beech, Sugar Oak & Hickory	33.36	Land Hilly - Timber Oak & Hickory	31.36	Land Level & Brushy - Timber Oak & Hickory
35.36	ditto	27.24	ditto	29.32	ditto
35.36	ditto	27.28	ditto	29.30	Land rolling & rich - Timber Sugar, Maple
35.36	ditto	22.27	ditto	20.20	ditto
35.36	ditto	21.22	ditto	19.20	ditto
35.36	Land Rolling - Timber Oak, Ash & Hickory	15.22	Land level & brushy - Timber Oak & Hickory	17.20	ditto
35.36	ditto	15.16	ditto	17.18	ditto
35.36	Rolling thin Soil - Timber Oak & Maple	10.15	ditto	7.8	ditto
35.36	ditto	9.10	ditto	5.8	ditto
35.36	ditto	3.10	ditto	5.6	ditto
35.36	ditto	3.4	ditto	6.7	ditto
35.36	ditto	32.33	ditto	7.18	ditto
35.36	ditto	25.33	ditto	18.19	ditto
35.36	ditto	25.29	ditto	19.20	ditto
35.36	ditto	21.28	ditto	20.21	ditto
35.36	ditto	20.21	ditto	8.17	ditto
35.36	ditto	16.21	ditto		
35.36	ditto	16.17	ditto		
35.36	ditto	9.16	ditto		
35.36	ditto	3.9	ditto		
35.36	ditto	3.9	ditto		
35.36	ditto	3.5	ditto		



## South Boundary

A 19

Met On the South Boundary of sec 36 T 7 N R 2 W  
 24.75 To a Walnut 30 in dia: in the line.  
 40.00 A W Oak 36 in dia: stands for the cor of 36 sec.  
 65.00 To a Sugar 18 in dia: in the line.  
 80.00 Set a post for the cor of sec 35 & 36 from which  
 Buck 16 in dia: bears S 55 W 3 1/2 mds dist, 13  
 Lg. 16 " " " N 65 E. 44 " "  
 Soud. rich Timber Sugar, Walnut, Ash, Buck, &c

Met On the South Boundary of sec 35 T 7 N R 2 W.  
 40.00 Set a post from which  
 Sugar 8 in dia: bears N 56 W 5 1/2 mds dist, 12  
 Lg. 10 " " " S 86 E. 23 " "  
 69.00 To a W Oak 18 in dia: in the line.  
 80.00 A W Oak 24 in dia: stands for the cor of sec 34 & 35.  
 Land and Timber same as last mtg. April 2, 1881

Met On a ~~Point~~ South Boundary of sec 34 T 7 N R 2 W  
 33.50 To an A. Oak 30 in dia: in the line.  
 40.00 Set a post from which  
 Buck 30 in dia: bears S 57 E. 12 1/2 mds dist, 12  
 Lg. 20 " " " N 27 W. 14 " "  
 65.00 To a Brook 6 1/2 mds. above S. W.  
 80.00 Set a post for the cor of sec 33 & 34 from which  
 W Oak 18 in dia: bears S 35 W. 31 mds dist, 12  
 Sugar. 14 " " " N 65 E. 20 " "  
 Soud. rich Timber Oak

Met On the South Boundary of sec 33 T 7 N R 2 W.  
 15.00 To a Brook 10 mds. in line, above S.  
 30.00 Lg. 4 " " " S E  
 40.00 Set a post from which



Beck, 14 in diam. bears N 4 E 7 links dist. to  
 Sugar 9 " " N 81 W 17 "  
 80.00 Set a post for the corner 32 133 from which  
 Beck, 24 in diam. bears N 6 E 17 links dist. to  
 Sugar 8 " " N 67 W 10 "  
 Land good and rich Timber Sugar, Beck & Oak

West On the South Boundary of sec 32 T. 7. N. R. 2. W.  
 25.00 To a spring corner S.  
 37.00 " " 20. " " D. W.  
 40.00 Set a 1/4 section post from which  
 N Oak 16 in diam. bears N 43 E 19 links dist. to  
 Beck 15. " " " S. 67. W. 31. " "  
 60.00 To a Beck 3 links wide; course S.  
 80.00 Set a post for the cor. of Sec. 31 & 32. from which a  
 Gum 15 in diam. bears S. 87. W. 25 links dist. to  
 Beck 6. " " " N 84. E. 31. " "  
 Land good. Timber Oak & L.

West On the South Boundary of Sec. 31 T. 7. N. R. 2. W.  
 20.00 To a Beck 3 links wide. course S.  
 25.00 " " Beck 18 in diam. in the line.  
 40.00 Set a 1/4 Sec. post from which a  
 N Oak 24 in diam. bears S. 50 E. 25 links dist.  
 to Walnut 20. " " " N 47. W. 24. " "  
 60.00 To a Spring course S.  
 80.00 Set the corner post for the cor. of T. 6 & 7 N. R. 2 & 3  
 37.00 Went in search of the Range line; traveled  
 3 miles South & hunted but could not find it.  
 Just at the present & returned to the cor. of  
 T. 6 & 7 N. R. 1 & 2 W. April 3. 1811.

East Boundary.

A21.

North On the East Boundary of sec. 36 T. 7. N. R. 2. W.  
 30.00 To a large Spring to the East; corner N. E.  
 6.00 To a Beck 3 links wide. corner E.  
 30.00 To a No. 6 " "  
 40.00 Set a 1/4 section post from which  
 Beck 24 in diam. bears S 50 W 20 links dist. to  
 Do. 26 " " " N 13 E 49 "  
 80.00 Set a post for the cor. of sec 35 & 36 from which  
 Beck 18 in diam. bears N 85 W 18 links dist. to  
 Do. 14 " " " S 8 E 37 "  
 Land pretty Timber Oak.

North On the East Boundary of sec. 25 T. 7. N. R. 2. W.  
 40.00 Set a 1/4 section post from which  
 Buckeye 18 in diam. bears N 27 W 24 links dist. to  
 Elm. 18 " " " N 46 W 26 " "  
 80.00 Set a post for the cor. of Sec 24 & 25 from which  
 Beck 18 in diam. bears N 19 W 11 links dist. to  
 Log. 18 " " " S 22 W 42 " "  
 Land pretty Timber Oak.

North On the East Boundary of sec. 24 T. 7. N. R. 2. W.  
 30.00 To the mouth of a large creek facing the West  
 and extending Eastward nearly straight &  
 completely aced, on an average six feet high  
 & seven feet wide. We measured 300 ft;  
 it appeared to extend in the same direction to  
 measure in size but for want of light we  
 returned no farther; there is a fresh water spring  
 running from it.  
 40.00 Set a 1/4 section post from which  
 Beck 18 in diam. bears N 86 E 11 links dist. to  
 Do. 18 " " " S 86 W 21 " "



T. N. F. A. R. N. 2<sup>nd</sup> W. 2<sup>nd</sup> M. Ind.

43.00 To a Brook 15 miles wide, Come E.  
 60.76 " " Sugar. 24 in dia. in the mi.  
 78.50 To a Brook 15 miles wide, Come E.  
 80.00 Set apart for the co of sw. 13 & 24 on the Bank of  
 a Creek from white.  
 Sugar. 12 in dia. bears. N 29 E 7 miles east, to  
 Elm. 18 " " " N 63 W. 31 " "  
 Land with; Timber Oak Elm Sugar Walnut &c.

North On the East Boundary of sw. 13. T. 7. N. 2<sup>nd</sup> W.  
 40.00 Set apart from white.  
 Sugar. 14 in dia. bears. N 55 E. 10 miles east, to  
 Do 16 " " " N 55 W. 15 " "  
 55.00 To a Brook 150 miles wide, Come E. W.  
 66.00 " " Sugar. 12 in dia. in the mi.  
 73.00 To a Creek - No mile, Come E. W.  
 80.00 Set apart for the co of sw. 12 & 23 from white.  
 Bank. 16 in dia. bears. N 55 E. 17 miles east, to  
 Do. 16 " " " N 80 W. 24 " "  
 Land with good mile seats; well timbered.

North On the East Boundary of sw. 12. T. 7. N. 2<sup>nd</sup> W.  
 15.00 To a Creek - No mile, Come E. W.  
 22.00 " " Do. - " " " " E.  
 34.00 " " Do. 20 " " " " W.  
 40.00 Set apart from white.  
 Bank 36 in dia. bears. N 15 E. 14 miles east, to  
 Do. 24 " " " N 5 E. 31 " "  
 47.00 To a Creek - No mile, Come E. W.  
 47.00 " " Do. - " " " " E.  
 80.00 Set apart for the co of sw. 1 & 12 from white.  
 Bank 16 in dia. bears. N 71 W. 14 miles east, to  
 Sugar 6 " " " N 83 E. 19 " "

T. N. F. A. R. N. 2<sup>nd</sup> W. 2<sup>nd</sup> M. Ind.

Land & timber same as last mile.

North On the East Boundary of sw. 1. T. 7. N. 2<sup>nd</sup> W.  
 10.00 To a Creek - No mile, Come E. W.  
 30.00 To a Walnut 18 in dia. in the mi.  
 35.00 To a Edge of Rocks  
 40.00 Set apart from white.  
 Bank 18 in dia. bears. N 82 E. 13 miles east, to  
 Elm. 18 " " " N 10 W. 25 " "  
 60.00 To a Spring Come E.  
 77.00 Fall 150 miles West of the post set by James  
 H. Lewis & moved it to the intersection for the co of  
 T. 7 & 8 N. 1 & 2 W. from white.  
 Bank 12 in dia. bears. N 73 W. 12 miles east, to  
 W Oak 30 " " " N 40 E. 23 " "  
 Land good Timber Sugar Walnut &c.

North Boundary. 2.24  
 West On the South Boundary of sw. 36. T. 8. N. 2<sup>nd</sup> W.  
 40.00 Set apart from white.  
 Sugar 18 in dia. bears. N 63 E. 16 miles east, to  
 Sugar. 12 " " " N 44 W. 16 " "  
 43.00 To a Brook 3 miles wide, Come N.  
 44.25 To a W Oak. 24 in dia. in the mi.  
 80.00 Set apart for the co of sw. 35 & 36 from white.  
 Bank 5 in dia. bears. N 22 E. 10 miles east, to  
 Do. 12 " " " N 35 W. 15 " "  
 Land good Timber Bank Sugar Oak &c.

West On the South Boundary of sw. 35. T. 8. N. 2<sup>nd</sup> W.  
 20.00 Set apart from white.  
 Bank 15 in dia. bears. N 18 E. 13 miles east, to  
 Do. 16 " " " N 85 W. 13 " "



## T. N. of N. R. N. of D. W. D. M. Ind.

69.75 To a sugar 16 in dia. in the tree  
 80.00 Set apart for the care of sw. 34 133 from white,  
 Sugar 12 in dia. beam. Sunk 17 lbs met, to,  
 Mulberry 8 " " " N 54 W. 34 " "  
 Sand rich land. Timber Sugar, Beech Poplar

West On the South Boundary of sw. 34 T. 8. N. R. 2 W.  
 32.50 To a Beech 12 in dia. in the tree.  
 40.00 Set apart for the care of sw. 34 133 from white,  
 Hickory 20 in dia. beam. S 68 E. 34 lbs met, to,  
 Do. 18 " " " N 87 W. 25 " "  
 69.75 To a Hickory 12 in dia. in the tree.  
 80.00 Set apart for the care of sw. 33 134 from white,  
 Hickory 15 in dia. beam. S 74 E. 16 lbs met, to,  
 Do. 14 " " " N 14 W. 20 " "  
 Land & timber same as last met.

West On the South Boundary of sw. 33 T. 8. N. R. 2 W.  
 34.50 To a Oak 30 in dia. in the tree.  
 40.00 Set apart for the care of sw. 33 133 from white,  
 Hickory 12 in dia. beam. S 54 W. 30 lbs met, to,  
 W Oak 18 " " " N 79 E. 43 " "  
 46.00 To a Beech 30 in dia. in the tree.  
 80.00 Set apart for the care of sw. 32 133 from white,  
 Sugar 12 in dia. beam. S 67 E. 18 lbs met, to,  
 Hickory 16 " " " N 33 W. 19 " "  
 Land good Timber Oak,

West On the South Boundary of sw. 32 T. 8. N. R. 2 W.  
 28.50 To a Poplar. 28 in dia. in the tree.  
 40.00 Set apart for the care of sw. 32 133 from white,  
 Sugar 6 in dia. beam. N 84 E. 31 lbs met, to,  
 To Sugar 12 " " " West 24 " "

## T. N. of N. R. N. of D. W. D. M. Ind.

80.00 Set apart for the care of sw. 31 133 from white,  
 Sugar 16 in dia. beam. N 49 E. 23 lbs met, to,  
 Beech 16 " " " S 49 W. 23 " "  
 Good Oak Land.

West On the South Boundary of sw. 31 T. 8. N. R. 2 W.  
 17.00 To a Beech 30 in dia. in the tree.  
 40.00 Set apart for the care of sw. 31 133 from white,  
 Sugar 14 in dia. beam. S 76 W. 13 lbs met, to,  
 Walnut 8 " " " N 55 E. 20 " "  
 50.00 To a Beech 10 in dia. in the tree.  
 77.00 " " " " " " " " " " " "  
 80.00 Set apart for the care of sw. 16, 31 136.  
 T. 788 N. R. 213 W. April 5. 1811  
 Good land Timber Sugar Oak & Poplar.

## West Boundary

A31

North On the East Boundary of sw. 36 T. 7. N. R. 3 W.  
 35.50 To a Poplar. 36 in dia. in the tree.  
 40.00 Set apart for the care of sw. 36 136 from white,  
 Beech 8 in dia. beam. S 42 W. 12 lbs met, to,  
 Sugar 8 " " " N 27 W. 16 " "  
 79.50 To a Beech 10 in dia. in the tree.  
 80.00 Set apart for the care of sw. 25 136 from white,  
 Beech 16 in dia. beam. N 71 W. 12 lbs met, to,  
 W Oak 30 " " " N 80 E. 10 " "  
 Land. Hill. Timber Oak,

North On the East Boundary of sw. 25 T. 7. N. R. 3 W.  
 22.00 To a Beech 10 in dia. in the tree.  
 40.00 Set apart for the care of sw. 25 136 from white,  
 Beech 24 in dia. beam. S 33 E. 20 lbs met, to,  
 Do 14 " " " S 83 W. 23 " "



80.00 Set apart for the co of sw. 24 & 25 from white,  
Beck 18 in dia: beam S56 E. 12 lms dist; to  
Imperial 6 a a N 75 W. 14 a  
Good lands; Timber Oak Sugar &c.

North On the East Boundary of sw. 24, T. 7. N. R. 3 W.

18.00 To a Brook 3 lms wide, corner S. E.

40.00 Set apart for the co of sw. 24 & 25 from white,  
Sugar 5 in dia: beam S30 E. 25 lms dist; to  
Do. 6 a a N 12 W. 15 a

56.00 To a Brook 3 lms wide, corner W.

76.00 " Do. 3 a " "

80.00 Set apart for the co of sw. 13 & 24 from white,  
Beck 30 in dia: beam S48 W. 12 lms dist; to  
Beck 8 " " S56 E. 8 a  
Land good Timber Beck, Sugar, Oak,

North On the East Boundary of sw. 13, T. 7. N. R. 3 W.

15.00 To a Brook 10 lms wide, corner W.

17.00 " Sugar 10 in dia: beam S56 E. 12 lms dist; to

40.00 Set apart for the co of sw. 13 & 24 from white,  
Beck 16 in dia: beam S112 E. 9 lms dist; to  
W. Oak 15 a a S 12 E. 31 a

80.00 Set apart for the co of sw. 12 & 13 from white,  
Stick 10 in dia: beam S36 E. 17 lms dist; to  
Sugar 12 a a N 32 W. 17 a  
Land good Timber Sugar Beck & Oak,

North On the East Boundary of sw. 12, T. 7. N. R. 3 W.

25.00 To a Brook 5 lms wide, corner S. W.

40.00 Set apart for the co of sw. 12 & 13 from white,  
Beck 16 in dia: beam S69 E. 12 lms dist; to  
Sugar 14 a a S 7 W. 24 a

46.00 To a Brook 10 lms wide, corner E.

80.00 Set apart for the co of sw. 13 & 24 from white,  
Sugar 6 in dia: beam S58 W. 19 lms dist; to  
Do. 14 a a S 80 E. 31 a  
Land and timber same as last mile.

North On the East Boundary of sw. 1, T. 7. N. R. 3 W.

6.00 To a spring corner E.

9.00 " Brook 5 lms wide, corner S. E.

40.00 Set apart for the co of sw. 13 & 24 from white,  
Beck 12 in dia: beam S83 W. 3 lms dist; to  
Poplar 18 a a S 83 E. 27 a

50.00 To a Brook 6 lms wide, corner E.

78.50 Taken out the S. P. Line 13.50 lms East of the  
Imperial post and set apart for the co of sw. 13 & 24  
Stick 18 in dia: beam S56 E. 17 lms dist; to  
Maple 18 a a S 39 E. 31 a

Land good Timber Sugar Beck & Oak,  
Amorized by

April 9. 1811

John Holmes Ld.

### Subdivisions,

North Return sw. 35 & 36, T. 7. N. R. 2 W.

40.00 Set apart for the co of sw. 35 & 36 from white,

Stick 10 in dia: beam S13 W. 96 lms dist; to  
Sugar 18 a a S 7 E. 133 a

80.00 Set apart for the co of sw. 25, 26, 35 & 36 from white,  
Stick 12 in dia: beam S52 E. 25 lms dist; to  
Do. 10 a a S 38 W. 39 a

Land Hilly Timber Beck, Sugar, Oak, & Hick,

East On a Random line between sw. 25 & 36, T. 7. N. R. 2 W.



- 40,00 Let a trip to report  
 80,00 Intercept the East Boundary 24 miles South of the  
 first camp of sw. 25 & 36. Same to some as last mile.
- West On the line between Sw. 25 & 36. T. N. F. N. R. D. M.  
 40,00 Let the trip to report at the on dish on the line  
 from which, Buck 3 in dia. beam. S42 E. 7 1/2 m. dist.  
 and a Sugar 8 " " S56 N. 2 " "  
 80,00 to the first camp of sw. 25, 26 & 35 & 36.

- North Return Sw. 25 & 36. T. N. F. N. R. D. M.  
 40,00 Let a trip to report from which  
 Buck 5 in dia. beam. N77 E. 9 m. dist. ca.  
 Do. 12 " " S39 N. 12 " "  
 80,00 Let a report for the first for the camp of sw. 23, 24, 25,  
 & 26 from which  
 Sugar. 10 in dia. beam. N46 E. 31 m. dist. ca.  
 Buck 12 " " N54 N. 36 " "  
 Same to some.

- East On a Random line between Sw. 24 & 25. T. N. F. N. R. D. M.  
 34,00 Top Rock 12 miles from corner N.E.  
 40,00 Let a trip to report  
 80,00 Intercept the N.E. line, 30 miles South of the first  
 camp of sw. 24 & 25. Same to the same.
- West On the line between Sw. 24 & 25. T. N. F. N. R. D. M.  
 40,00 Let the trip to report at the on dish on the line  
 from which, Sugar, 2 in dia. beam. S51 E. 11 m. dist.  
 and a Buck 8 " " N26 N. 14 " "  
 80,00 to the station of sw. 23, 24 & 25 & 26.

- North Return Sw. 23 & 24. T. N. F. N. R. D. M.  
 40,00 Let a trip to report from which  
 Buck 15 in dia. beam. S5 E. 24 m. dist. ca.  
 Do. 10 " " N19 N. 15 " "  
 80,00 Let a report for the camp of sw. 13, 14, 23, & 24 from which  
 a Sugar 10 in dia. beam. N42 E. 17 1/2 m. dist. ca.  
 Do. 3 " " S53 N. 20 " "  
 Sand rolling Timber ash, Oak, & Hick

- East On a Random line between Sw. 13 & 24. T. N. F. N. R. D. M.  
 40,00 Let a trip to report  
 75,00 Top Rock 100 miles from the station  
 East.  
 80,00 Intercept the East Boundary 18 miles South of the  
 first camp of Sw. 13 & 24. Same to the same.
- West On the line between Sw. 13 & 24. T. N. F. N. R. D. M.  
 40,00 Let the trip to report at the on dish on the line  
 from which, Buck 12 in dia. beam. N17 N. 17 1/2 m. dist.  
 and a Buck 15 " " N77 E. 37 " "  
 80,00 to the first camp of sw. 13, 14, 23 & 24

- North Return Sw. 13 & 24. T. N. F. N. R. D. M.  
 16,00 Top Rock 10 miles from corner  
 18,25 Top a Poplar 36 in dia. in the line  
 40,00 Let a trip to report from which  
 Sugar 12 in dia. beam. S5 E. 10 m. dist. ca.  
 Buck 12 " " N55 N. 19 " "  
 80,00 Let a report for the camp of sw. 11, 12 & 13 & 14 from which  
 Buck 5 in dia. beam. S56 N. 14 m. dist. ca.  
 Sugar 8 " " N9 E. 17 " "  
 Sand rolling thin soil, Timber Oak, Poplar, &c.







80,000 Bush 12 in dia. trees 159 E. 24 W. dist.  
To the post on of sw. 26 27 34 & 35.

North Return Sw. 26 & 27 T. N. F. N. R. 277  
40,000 Set a trap for foxes from which  
Hogwood 4 in dia. trees 117 E. 8 W. dist; to  
Hicks 10 " " " 117 N. 27 " "  
80,000 Set a post for the crop Sw. 22, 23, 26 & 27 from  
white, Hicks 6 in dia. trees 127 N. 5 W. dist  
& a Bush 6 " " " 120 N. 24 " "  
Send the same

East On a Random line between Sw. 23 & 26 T. N. F. N. R. 277  
40,000 Set a trap for foxes.  
80,000 Intersect the N. 5 line 18 miles South of the post  
on of sw. 23, 24, 25 & 26 Send the same.

West On the line between Sw. 23 & 26 T. N. F. N. R. 277  
40,000 Set the trap for foxes at the cross on the line  
from white, Hicks 10 in dia. trees 176 N. 28 W. dist  
and a Do. 12 " " " 161 E. 16 " "  
80,000 To the post on of Sw. 22, 23, 26 & 27

North Return Sw. 22 & 23 T. N. F. N. R. 277  
24,000 Log spring to creek 4 miles, lower N.  
40,000 Set the trap for foxes from which  
No. Bearing trees  
80,000 Set a post for the crop Sw. 14, 15, 22 & 23 from  
white, Hicks 10 in dia. trees 162 N. 28 W. dist  
and a Do. 8 " " " 146 E. 31 " "  
Send & timber same.

East On a Random line between Sw. 14 & 23 T. N. F. N. R. 277

R. N. 277 2<sup>nd</sup> Mm. Ind.  
40,000 Set a trap for foxes.  
80,000 Intersect the N. 5 line 24 miles South of the  
post on of sw. 13, 14, 23 & 24 Send the same.

West On the line between Sw. 14 & 23 T. N. F. N. R. 277  
40,000 Set the trap for foxes at the cross on the line  
from white, Hicks 12 in dia. trees 179 N. 5 W. dist  
and a Do. 10 " " " 133 E. 15 " "  
80,000 To the post on of sw. 14, 15, 22 & 23.

North Return Sw. 14 & 15 T. N. F. N. R. 277  
40,000 Set a trap for foxes from which  
Oak 15 in dia. trees 157 N. 25 W. dist; to  
Bush. 18 " " " 171 N. 20 " "  
80,000 Set a post for the crop sw. 10, 11, 14 & 15 from which  
Bush 10 in dia. trees 163 N. 6 W. dist; to  
Poplar 25 " " " 19 E. 17 " "  
Send the same.

East On a Random line between Sw. 11 & 14 T. N. F. N. R. 277  
40,000 Set a trap for foxes.  
80,000 Intersect the N. 5 line 80 miles South of the post  
on of sw. 11, 12, 13 & 14 Send the same.

West Return Sw. 11 & 14 On the line T. N. F. N. R. 277  
40,000 Set the trap for foxes at the cross on the line  
from white, Oak 15 in dia. trees 151 E. 24 W. dist  
and a Hicks 12 " " " 178 N. 11 " "  
80,000 To the post on of sw. 10, 11, 14 & 15.

North Return Sw. 10 & 11 T. N. F. N. R. 277  
40,000 Set a trap for foxes from which







I. N. 7. A. R. N. 272<sup>nd</sup> Mm. Ind.

en of ear 22, 23, 26 & 27. Same as the same

West On the line between Sec 22 & 27. T. 7. N. R. 27.  
40,00 Set the trap for a post at the ar creek on the line from  
whiskey, Sugar. 10 in dia. beam. N 88 E. 44 W. dist  
and a dogwood 3. " " E 37 N. 18. "  
80,00 To the post en of ear 21, 22, 27 & 28.

North Between Sec 21 & 23 T. 7. N. R. 27.  
40,00 Set a 7/8 post from whiskey,  
Maple. 10 in dia. beam. E 32 W. 10 m. dist. 4.  
Buck. 10 " " " N 42 W. 15. "  
80,00 Set a post for the ear of ear 15, 16, 21 & 22 from  
whiskey, Sugar 12 in dia. beam. S 8 E. 28 W. dist  
and a dog. 10. " " " N 38 W. 5. "  
Same the same.

East On a line between Sec 15 & 23 T. 7. N. R. 27.  
40,00 Set a trap for a post  
79,50 Set out the N 43 line 29 m. South of the  
post en of ear 14, 15, 23 & 23. Set a line 8  
m. South of the line. Oak & Hick.

West On the line between Sec 15 & 23 T. 7. N. R. 27.  
39,78 Set the trap for a post at the ar creek on the line from  
whiskey, Dogwood 3 in dia. beam. S 26 W. 8  
m. dist. 7 a Black. 18 " " " N 10 W. 19 W. dist  
79,50 To the post en of ear 15, 16, 21 & 22.

North Between Sec 15 & 16 T. 7. N. R. 27.  
40,00 Set a 7/8 post from whiskey,  
Buck. 18 in dia. beam. N 24 E. 9 W. dist 3 m.  
Sugar. 8 " " " N 45 W. 24. "

I. N. 7. A. R. N. 272<sup>nd</sup> Mm. Ind.

80,00 Set a post for the ear of ear 9, 10, 15 & 16 from whiskey,  
W. Walnut. 10 in dia. beam. N 70 W. 10 W. dist. 12,  
Sugar. 10 " " " N 39 E. 11. "  
Same the same as last m. dist.

East On a line between Sec 10 & 15 T. 7. N. R. 27.  
40,00 Set a trap for a post.  
79,58 Set out the N 45 line 50 m. North of the post  
en of ear 10, 11, 14 & 15. Same & timber the same.

West On the line between Sec 10 & 15 T. 7. N. R. 27.  
39,79 Set the trap for a post at the ar creek on the line from  
whiskey, Gum. 12 in dia. beam. N 45 E. 28 W. dist  
and a dogwood 4. " " " S 47 W. 16. "  
79,58 To the post en of ear 9, 10, 15 & 16.

North Between Sec 9 & 10 T. 7. N. R. 27.  
40,00 Set a 7/8 post from whiskey,  
Cherry. 4 in dia. beam. N 8 E. 11 W. dist. 12,  
Poplar. 6 " " " N 10 W. 16. "  
80,00 Set a post for the ear of ear 3, 4, 9 & 10 from whiskey,  
W. Oak. 30 in dia. beam. S 76 E. 21 W. dist. 13  
W. Oak. 20 " " " West. 20 " "  
Same the same.

East On the line between Sec 3 & 10 T. 7. N. R. 27.  
40,00 Set a trap for a post.  
79,97 Set out the N 43 line 110 m. dist. North of the  
post en of ear 2, 3, 10 & 11. Same the same.

West On the line between Sec 3 & 10 T. 7. N. R. 27.  
39,98 Set the trap for a post at the ar creek on the line from  
whiskey, W. Oak. 45 in dia. beam. N 10 E. 21 W. dist



W Oak. 14 in diam. bears ——— No. 12.  
79.97 Set a post on line 3. 4. 9. 10.

North Return Sec 3 & 4. T. 7. N. R. 2 W.  
40.00 Set a post from which  
Maple 18 in diam. bears S 12 E. 38 No. 12; 13  
Hick 4 " " S 35 W. 11 " "  
79.44 Subsect. the N. Boundary 238 links East of the  
post cor. of sec. 3 & 4. T. 7. N. R. 2 W. and set  
a post " " 344 from which  
Hick 8 in diam. bears N 84 W. 20 No. 12; 13  
W Oak 12 " " N 23 " "  
Land & timber the same.

North Return Sec 3 & 4. T. 7. N. R. 2 W.  
40.00 Set a post from which  
Poplar 18 in diam. bears S 61 E. 14 No. 12; 13  
Buck 6 " " N 76 W. 13 " "  
80.00 Set a post for the cor. of sec. 3 & 4 from which  
Buck 10 in diam. bears N 9 E. 3 links east, 14  
Hogwood 8 " " S 57 E. 35 " "  
Land the same.

East On a Random line between Sec. 28 & 33. T. 7. N. R. 2 W.  
40.00 Set a temp. post.  
80.16 Subsect. the N. B. line 17 links South of the post cor.  
of Sec. 27, 28, 33 & 34. Land the same.

West On the True line between Sec. 28 & 33. T. 7. N. R. 2 W.  
40.08 Set the temp. post at the ar. dist. on the true line  
from which Sugar 11 in diam. bears S 60 E. 9 links east  
under Buck 4 " " N 46 E. 11 " "  
80.16 To the cor. of sec. 28, 29, 32 & 33.

North Between Sec. 28 & 29. T. 7. N. R. 2 W.  
40.00 Set a post for the cor. of 1/4 Sec. from which a  
Buck 12 in diam. bears N 59 E. 37 links dist. La.  
Buck 10 " " S. 47 E. 11 " "

80.00 Set a post for the cor. of Sec. 20, 21, 28 & 29 from which  
a Buck 8 in diam. bears S 48 W. 15 links dist. La.  
No. 15 " " N 13 W. 31 " "  
Land & Timber same as last mile.

East On a Random line between Sec. 21 & 28. T. 7. N. R. 2 W.  
40.00 Set a temp. post for the cor. of 1/4 Sec.  
80.00 Intersect the S. & E. line 70 links N. of the post.  
cor. of Sec. 21, 22, 27 & 28.  
Land and timber same as last mile.

West On the True line between Sec. 21 & 28. T. 7. N. R. 2 W.  
40.00 Set the temp. post at the ar. dist. on the true line  
for the cor. of 1/4 Sec. from which a  
Sugar 12 in diam. bears S 38 W. 7 links dist. La.  
No. 10 " " S. 14 E. 17 " "  
80.00 To the post cor. of Sec. 20, 21, 28 & 29.

North Between Sec. 20 & 31. T. 7. N. R. 2 W.  
17.50 To a Brook 15 links wide. Course W.  
40.00 Set the 1/4 Sec. post from which a  
Hickory 15 in diam. bears S 88 E. 39 links dist. La.  
Sugar 5 " " N 88 W. 19  
80.00 Set a post for the cor. of Sec. 16, 17, 20 & 21 from which  
an Elm 15 in diam. bears N 87 E. 41 links dist. La.  
W Oak 30 " " S. 17 W. 20 " "  
Land & Timber same as on the last mile.

East On a Random line between Sec. 16 & 21. T. 7. N. R. 2 W.



T. N. 7. N. R. N. 2. W. 2<sup>nd</sup> Mer. Ind.

31. 00 To a Brook 10 links wide; Course S.  
 45. 00 Set a temp<sup>o</sup> post for the cor. of 1/4 Sec.  
 80. 00 Intersect the N. & S. line 12 links North of the  
 post cor. of Sec. 15 16 21 & 22.  
 Land & Timber same as before.

West On the True line between Sec. 16 & 21. T. 7. S. R. 2. W.  
 40. 00 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the  
 true line from which a  
 Sugar 12 in diam. bears S. 73. W. 4 links dist. &  
 No. 4 " " S. 39. E. 12. "  
 80. 00 To the post for the cor. of Sec. 16. 17. 20 & 21.

North Between Sec. 16 & 17. T. 7. S. R. 2. W.  
 40. 00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 18 in diam. bears S. 30. E. 15 links dist. &  
 Buck 4. " " N. 65. W. 25. "  
 80. 00 Set a post for the cor. of Sec. 8. 9. 16 & 17 from which  
 a W. Oak 18 in diam. bears N. 81. E. 15 links dist. &  
 Logwood 3. " " S. 41. W. 14. "  
 Land and Timber same as last mile

East On a Random line between Sec. 9 & 16. T. 7. S. R. 2. W.  
 40. 00 Set a temp<sup>o</sup> post for the cor. of 1/4 Sec.  
 80. 12 Intersect the N. & S. line 48 links South of the  
 post cor. of Sec. 9. 10. 15 & 16.  
 Land and Timber same as on the last mile

West On the True line between Sec. 9 & 16. T. 7. S. R. 2. W.  
 40. 06 To the post for the cor. of 1/4 Sec. at the av. dist.  
 on the True line from which a  
 Buck 10 in diam. bears N. 45. E. 18 links dist. &  
 W. Oak 15. " " S. 22. W. 28. "

T. N. 7. N. R. N. 2. W. 2<sup>nd</sup> Mer. Ind.

80. 12 To the post cor. of Sec. 8. 9. 16 & 17.

North Between Sec. 8 & 9. T. 7. S. R. 2. W.  
 40. 00 Set a post for the cor. of 1/4 Sec. from which a  
 Maple 10 in diam. bears S. 20. E. 26 links dist. &  
 Gum 8. " " N. 66. E. 23. "  
 80. 00 Set a post for the cor. of Sec. 4. 5. 8 & 9. from which a  
 Gum 3 in diam. bears S. 45. W. 9 links dist. &  
 No. 10. " " N. 61. E. 13. "  
 Land & Timber same as before.

East On a Random line between Sec. 4 & 9. T. 7. S. R. 2. W.  
 40. 00 Set a temp<sup>o</sup> post for the cor. of 1/4 Sec.  
 80. 00 Intersect the N. & S. line 27 links North of the post  
 cor. of Sec. 3. 4. 9 & 10. Land same as last mile

West On the True line between Sec. 4 & 9. T. 7. S. R. 2. W.  
 40. 00 Set the post for the cor. of 1/4 Sec. at the aver. dist. on the  
 true line from which a  
 W. Oak 20 in diam. bears N. 42. W. 25 links dist. &  
 Poplar 10. " " S. 18. W. 30. "  
 80. 00 To the post cor. of Sec. 4. 5. 8 & 9.

North Between Sec. 4 & 5. T. 7. S. R. 2. W.  
 22. 00 To a Lynn 18 in diam. in the line  
 40. 00 Set a post for the cor. of 1/4 Sec. from which a  
 Maple 15 in diam. bears S. 26. W. 9 links dist. &  
 W. Oak 24. " " N. 40. W. 24. "  
 80. 05 Intersect the N. Boundary 1.75 links East of the  
 post cor. of Sec. 3. 3 T. 8. S. R. 2. W. Set a post  
 for the cor. of Sec. 4 & 5. from which a  
 Gum 15 in diam. bears N. 65. E. 33 links dist. &  
 Hickory 15. " " S. 88. W. 58. "



31.00 To a Brook 10. links wide; Course S.  
 40.00 Set a temp<sup>o</sup> post for the cor. of 1/4 Sec.  
 80.00 Intersect the N. & S. line 12. links North of the  
 post cor. of Sec. 15 16 21 & 22.  
 Land & Timber same as before.

West On the True line between Sec. 16 & 21. T. 7. S. R. 2. W.  
 40.00 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the  
 true line from which a  
 Sugar 12. in diam. bears S. 73. W. 4. links dist. &  
 No. 4 " " " S. 39. E. 12. " "  
 80.00 To the post for the cor. of Sec. 16. 17. 20 & 21.

North Between Sec. 16 & 17. T. 7. S. R. 2. W.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 18 in diam. bears S. 30. E. 15. links dist. &  
 Buck 4. " " " S. 65. W. 25. " "  
 80.00 Set a post for the cor. of Sec. 8. 9. 16 & 17 from which  
 a W. Oak 18 in diam. bears N. 81. E. 15. links dist. &  
 Logwood 3. " " " S. 41. W. 14. " "  
 Land and Timber same as last mile

East On a Random line between Sec. 9 & 16. T. 7. S. R. 2. W.  
 40.00 Set a temp<sup>o</sup> post for the cor. of 1/4 Sec.  
 80.12 Intersect the N. & S. line 48. links South of the  
 post cor. of Sec. 9. 10. 15 & 16.  
 Land and Timber same as on the last mile

West On the True line between Sec. 9 & 16. T. 7. S. R. 2. W.  
 40.06 Set the post for the cor. of 1/4 Sec. at the av. dist.  
 on the true line from which a  
 Buck 10. in diam. bears N. 45. E. 18. links dist. &  
 W. Oak 15. " " " S. 32. W. 28. " "

80.12 To the post cor. of Sec. 8. 9. 16 & 17.

North Between Sec. 8 & 9. T. 7. S. R. 2. W.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Maple 10 in diam. bears S. 20. E. 26. links dist. &  
 Gum 8. " " " S. 66. E. 33. " "  
 80.00 Set a post for the cor. of Sec. 4. 5. 8 & 9. from which a  
 Gum 3. in diam. bears S. 45. W. 9. links dist. &  
 No. 10. " " " N. 61. E. 12. " "  
 Land & Timber same as before.

East On a Random line between Sec. 4 & 9. T. 7. S. R. 2. W.  
 40.00 Set a temp<sup>o</sup> post for the cor. of 1/4 Sec.  
 80.00 Intersect the N. & S. line 37. links North of the post  
 cor. of Sec. 3. 4. 9 & 10. Land same as last mile

West On the True line between Sec. 4 & 9. T. 7. S. R. 2. W.  
 40.00 Set the post for the cor. of 1/4 Sec. at the aver. dist. on the  
 true line from which a  
 W. Oak 20 in diam. bears N. 42. W. 25 links dist. &  
 Poplar. 10. " " " S. 18. W. 30. " "  
 80.00 To the post cor. of Sec. 4. 5. 8 & 9.

North Between Sec. 4 & 5. T. 7. S. R. 2. W.  
 22.00 To a Lynn 18 in diam. in the line  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Maple 15 in diam. bears S. 26. W. 9. links dist. &  
 W. Oak 24. " " " N. 40. W. 24. " "  
 80.05 Intersect the N. Boundary 1.75. links East of the  
 post cor. of Sec. 3. 3 T. 8. S. R. 2. W. & set a post  
 for the cor. of Sec. 4 & 5. from which a  
 Gum 15 in diam. bears N. 65. E. 33. links dist. &  
 Hickory 15. " " " S. 88. W. 58. " "



	Land and Timber same as on the last mile.
North 40.00	Between Sec. 31. & 32. T. 7. N. R. 2. W. Set a post for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak 24 in diam. bears N 26. E. 13 links dist. a Birch " " " S. 21. W. 13. " "
80.00	Set a post for the cor. of Sec. 29. 30. 31. & 32. from which a Birch 6 in diam. bears S. 59. E. 17 links dist. and a Gum 10. " " " S. 20. E. 16. " " Land & Timber same as last mile.
East 40.00 80.12	On a Random line between Sec. 29. & 32. T. 7. N. R. 2. W. Set a temp <sup>y</sup> post for the cor. of $\frac{1}{4}$ Sec. Intersect the N. & S. line 12 links South of the post cor. of Sec. 28. 29. 32. & 33. Land and Timber same as on the last mile.
West 40.06 80.12	On the True line between Sec. 29. & 32. T. 7. N. R. 2. W. Set the post for the cor. of $\frac{1}{4}$ Sec. at the aver. dist. on the True line from which a Sugar 6 in diam. bears N 48. E. 7 links dist. & W. Oak 20 " " " N 75. W. 24. " " To the post cor. of Sec. 29. 30. 31. & 32.
North 40.00 80.00	Between Sec. 29. & 30. T. N 7. N. R. 2. W. Set a post for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak 12 in diam. bears S 40. W. 14 links dist. & Birch 7. " " " S. 38. E. 5. " " Set a post for the cor. of Sec. 19. 20. 29. & 30. from which a Sugar 8 in diam. bears N 35. E. 14 links dist. and a Maple 15. " " " S. 33. E. 31. " " Land Rolling. Soil rich. Timber Sugar, Poplar & Oak.

East 40.00 80.00	On a Random line between Sec. 20. & 29. T. 7. N. R. 2. W. Set the temp <sup>y</sup> post for the cor. of $\frac{1}{4}$ Sec. Intersect the N. & S. line 12 links N. of the post cor. of Sec. 20. 21. 28. & 29. Land and Timber same as on the last mile.
West 40.00 80.00	On the True line between Sec. 20. & 29. T. 7. N. R. 2. W. Set the post for the cor. of $\frac{1}{4}$ Sec. at the aver. dist. on the true line from which a W. Oak 40 in diam. bears West 2 links dist. and a To the post cor. of Sec. 19. 20. 29. & 30.
North 20.50 40.00 80.00	Between Sec. 19. & 20. T. 7. N. R. 2. W. To a Birch 20 links wide Course S. W. Set the post for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak 25 in diam. bears N 15. E. 12 links dist. & Birch 6. " " " S. 81. E. 18. " " Set a post for the cor. of Sec. 17. 18. 19. & 20. from which a Maple 8 in diam. bears S. 62. W. 3 links dist. & Hickory 15. " " " S. 61. E. 31. " " Land & Timber same as on the last mile.
East 40.00 80.00	On a Random line between Sec. 17. & 20. T. 7. N. R. 2. W. Set a temp <sup>y</sup> post for the cor. of $\frac{1}{4}$ Sec. Intersect the N. & S. line 12 links North of the post cor. of Sec. 16. 17. 20. & 21. Land and Timber same as on the last mile.
West 40.00 80.00	On the True line between Sec. 17. & 20. T. 7. N. R. 2. W. Set a post for the cor. of $\frac{1}{4}$ Sec. from which a Sugar 10 in diam. bears N 53. W. 18 links dist. and a Hickory 4. " " " S. 12. E. 30. " " To the post cor. of Sec. 17. 18. 19. & 20.







## T. N. R. N. 37 N. 2nd Mer. Ind.

West Return Sec. 30 & 31 T. N. R. 2 N.  
 40.00 Set a new post from white,  
 Nicks 8 in dia. bears S 82 E. 18 miles dist; ra,  
 Dogwood Co. S 36 N. 14 E.  
 70.00 Intersect the West Boundary at the post cor. of sec 25 & 36.  
 T. N. R. 3 N. Same the same.

West Return Sec. 18 & 19 T. N. R. 2 N.  
 18.50 To a Brook 20 miles n.e., corner S. N.  
 40.00 Set a new post from white,  
 Sugar. 12 in dia. bears S 63 E. 14 miles dist; ra,  
 Li. 4 " " " S 49 N. 5 " "  
 69.44 Intersect the West Boundary 121 miles North of  
 the post cor. of sec 24 & 25 T. N. R. 3 N. and set a  
 post for the cor. of sec 19 & 30 from white,  
 Sugar. 9 in dia. bears S 69 E. 20 miles dist; ra,  
 Elm. 5 " " " S 32 E. 30 " "  
 Same the same.

West Return Sec. 18 & 19 T. N. R. 3 N.  
 40.00 Set a new post from white,  
 Sugar 15 in dia. bears N 63 N. 7 miles dist; ra,  
 Buck 50 " " " S 84 N. 9 " "  
 67.00 To a Spring, corner S. N.

Certify that the foregoing Transcript of the  
 field notes of Township N. 7. North of Range  
 N. 2 West & 2nd Principal Meridian, in Ind.  
 has been compared with the Original notes in this  
 Office and found to be correct.

Surveyor General's Office,  
 Cincinnati, Nov. 16. 1841

Sur. General

70.54 Set a post on the West Boundary 60 miles South

## T. N. R. N. 37 N. 2nd Mer. Ind.

Set the post cor. of sec 13 & 24 T. N. R. N. 3 N. at a  
 post for the cor. of sec 18 & 19 from white,  
 Buck 35 in dia. bears N 26 E. 4 miles dist; ra,  
 Buck 12 " " " S 28 N. 30 " "  
 Same the same.

West Return Sec. 7 & 18 T. N. R. 2 N.  
 40.00 Set a new post from white,  
 Buck 8 in dia. bears N 41 N. 14 miles dist; ra,  
 Li. 5 " " " S 60 E. 17 " "  
 61.20 To a Sugar. 15 in dia. in the vine.  
 70.73 A Sugar. 12 in dia. stands 53 miles South of the post  
 cor. of sec 13 & 13 T. N. R. 3 N. for the cor. of sec  
 7 & 18. Same the same.

Surveyed by  
 Arthur Henric.  
 Dep'ty Sur.

Comp.

Certify that the foregoing Transcript of the field  
 notes of Township N. 7. North of Range N. 2 West  
 of the 2nd Principal Meridian in Indiana has been  
 compared with the Original notes in this Office & found  
 to be correct.

Surveyor General's Office,  
 Cincinnati, Nov. 16. 1841.

Sur. General.



T. No 7. N. R. No 27. 2nd Mer. Ind.

West Return Dec. 30 + 31 T. No 7. N. R. 27.  
 45.00 Set a new post from which,  
 Nicks 8 in dia. bears S 32 E. 18 links dist; ra,  
 Dogwood 64 " " S 36 W. 14 " "  
 70.00 Intersect the West Boundary at the post cor. of sec 25 + 36.  
 T. No 7. N. R. 37. Same the same.

West Return Dec. 18 + 19 T. No 7. N. R. 27.  
 18.50 To a brook 20 links away, corner S. W.  
 40.00 Set a new post from which,  
 Sugar. 12 in dia. bears S 63 E. 14 links dist; ra,  
 Ho. 4 " " " N 49 W. 5 " "  
 69.44 Intersect the West Boundary 121 links North of  
 the post cor. of sec. 24 + 25. T. No 7. N. R. 37 and set a  
 post for the cor. of sec. 19 + 30 from which,  
 Sugar. 9 in dia. bears S 69 E. 20 links dist; ra,  
 Elm. 5 " " " N 32 E. 30 " "  
 Same the same.

West Return Dec. 18 + 19 T. No 7. N. R. 27.  
 40.00 Set a new post from which,  
 Sugar 15 in dia. bears N 63 W. 7 links dist; ra,  
 Buck 50 " " " N 84 W. 9 " "  
 67.00 To a Spring, corner S. W.

I certify that the foregoing transcript of the  
 field notes of Township No 7 North of Range  
 No 2 West 2nd Principal Meridian, in Ind.  
 has been compared with the original notes in this  
 office and found to be correct.

Surveyor General's Office,  
 Cincinnati, Nov. 16. 1841

Sur. General

70.54 Set a post on the West Boundary 60 links South

T. No 7. N. R. No 27. 2nd Mer. Ind.

of the post cor. of sec 13 + 24 T. No 7. N. R. No 37 set a  
 post for the cor. of sec 18 + 19 from which,  
 Buck 35 in dia. bears N 26 E. 4 links dist; ra,  
 Buck 12 " " " S 28 W. 30 " "  
 Same the same.

West Return Dec. 7 + 18 T. No 7. N. R. 27.  
 40.00 Set a new post from which,  
 Buck 8 in dia. bears N 41 W. 14 links dist; ra,  
 Ho. 5 " " " S 60 E. 17 " "  
 61.20 To a Sugar. 15 in dia. in the vine.  
 70.73 A Sugar. 12 in dia. stands 53 links South of the post  
 cor. of sec. 12 + 13. T. No 7. N. R. 37. for the cor. of sec  
 7 + 18. Same the same.

Surveyed by  
 Arthur Henric.  
 Depy Sur.

Compd.

I certify that the foregoing transcript of the field  
 notes of Township No 7 North of Range No 2 West  
 of the 2nd Principal Meridian in Indiana has been  
 compared with the original notes in this office & found  
 to be correct.

Surveyor General's Office,  
 Cincinnati, Nov. 16. 1841.

Sur. General.